# AerBio, Ltd. 320 N. Walnut St. Bloomington, IN 47404

Telephone: 812.334.1540 Fax: 812.334.1285 Emergency: 800.424.9300 **SECTION 1: IDENTIFICATION Effective Date:** 09/24/96 **Common Name: TEMED SECTION 2: HAZARDOUS INGREDIENTS: Chemical Name: CAS Number:** % by Weight: N,N,N',N'-Tetramethylethylenediamine N/A 110-18-9 Total listed: 99.4% The remainder of the components comprise proprietary information. **SECTION 3: PHYSICAL DATA Physical Data:** Appearance: pale yellow liquid strong amine or fishy odor Odor: Density @ 25°C:  $0.89 \, g \, / \, mL$ Flash Point: 88°F (TCC) Freezing Point: N/T Boiling Point: 203°F Solubility: Miscible in water pH: N/A pH (100 ppm in water): 8.0 - 8.5Vapor Pressure: N/T o/w Partition Coefficient: N/T Oxidizing / Reducing Properties: N/T **SECTION 4: FIRE AND EXPLOSION DATA** Fire and Explosion Information: Flammable limit: Lower 0.98%, Upper 9.08%, (by volume) Water, fog, carbon dioxide, foam, dry chemical Extinguishing Media: Special Fire Fighting Procedures: Protection from vapors must be provided. Unusual Fire and Explosion Hazard: Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions and emit toxic fumes. **SECTION 5: REACTIVITY DATA Reactivity Data:** Stable Unstable **Incompatibilities:** acids, acid chlorides, acid anhydrides, strong oxidizing

agents, carbon dioxide, copper, copper alloys

Hazard	lons 1	Decomi	nosition	<b>Products:</b>
	ivus i	оссони	DOSILIOII	I I VUUCUS.

Burning may release strongly irritating vapors.

# AerBio, Ltd. 320 N. Walnut St. Bloomington, IN 47404

Telephone: 812.334.1540 Fax: 812.334.1285 Emergency: 800.424.9300

### **SECTION 6: FIRST AID INFORMATION**

Eye exposure: Flush immediately with copious amounts of water or normal saline (min. 15 minutes).

Take exposed individual to a health care professional, preferably an ophthalmologist,

for further evaluation.

Skin exposure: Wash exposed area with plenty of soap and water. Repeat washing. remove contaminated clothing and wash thoroughly before reuse. If

irritation persists call a health care professional.

Inhalation: If exposure by inhalation is suspected, immediately move exposed individual to fresh

If individual experiences nausea, headache, dizziness, has difficulty in breathing or is air.

cyanotic, seek a health care professional immediately.

DO NOT INDUCE VOMITING. Rinse with copious amounts of water or milk first. Ingestion:

> Irrigate the esophagus and dilute the stomach by slowly giving (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the

individual is semi-comatose or convulsing. DO case of intentional ingestion of the product seek

NOT GIVE FLUIDS BY MOUTH. In

medical assistance immediately.

## SECTION 7: SPILLAGE AND DISPOSAL PROCEDURES

Evacuate area. Shut off all sources of ignition. Wear Self-container breathing apparatus, rubber boots and heavy rubber gloves. Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

Dispose of by burning in chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as material is flammable.

### SECTION 8: PRECAUTION TO BE TAKEN IN HANDLING AND STORING

Gas masks suitable for organic amines should be provided for emergency use.

Eve wash fountains in the work place are strongly recommended.

Rubber gloves, indirect ventilation goggles, body-protective clothing, and rubber safety shoes are required.

#### **SECTION 9: TRANSPORT INFORMATION**

Flammable liquid, UN 2372, Class3, Packing Group II, 1,2-Di-(dimethylamino)ehane, Packing **DOT** classification:

instr. 305

**DOT** pictogram: Flammable, Class 3

Accepted in passenger and cargo aircraft.

\_\_\_\_\_\_

-----

**SECTION 10: TOXICITY INFORMATION ORAL-RAT:** LD50 1580 mg/kg **SKIN-RBT:** LD50 5390 mg/kg